

Mesh Corner Cutting Machine 8 Iron Wires PLC Control 380V 50Hz

Basic Information

Place of Origin: Guangdong, ChinaBrand Name: Jin Hongxiang

Certification: CE

Model Number: JWPQJ1848

Minimum Order Quantity: 1 setPrice: Negotiable

Packaging Details: Export wooden case
Delivery Time: 5-10 days or negotiation
Supply Ability: 20 Sets per Month



Product Specification

• Warranty Of Core 1 Year Components:

• Product Name: Mesh Angle Cutting Machine, Used For 4

Corners Of Mesh

• Function: Cut Four Corners Of The Mesh

Control System: PLC

Applicable Industries: Special Machine For Grid Rack

• Warranty: 1 Year

• Highlight: Iron Wires Corner Cutting Machine,

50Hz Corner Cutting Machine, Mesh Corner Cut Machine



Product Description

Corner Cutting Machine 8 iron wires can be cut at the same time

Name:


JWPQJ 1848 corner cutting machine, mesh corner cutting machine, shelf mesh corner cutting machine, shelf special machine, 4818 mesh special machine


Function

It is used to cut the corners of the four corners of the mesh of the shelf, cut the required space at one time, and it is convenient to weld the column sleeve of the shelf. The product corner cutting is neat and standardized, which is more convenient for robot automatic welding in the later stage.


Performance characteristics

- 1. Input voltage 380V, 50Hz, Hydraulic motor power 7.5kw + special high-pressure pump. Large force and fast oil pump make multiple oil cylinders work harmoniously and react quickly.
- 2. There are 11 heavy-duty oil cylinders 4 + 4 + 3 in total. The oil circuits are precisely arranged, coordinated and fast. There are 8 cut-off cylinders. One cylinder cuts 2 lines and four corners. 8 lines can be cut at a time, which is fast. Cutting a mesh takes only 1-2 seconds.
- 3. PLC programming + man-machine interface display, simple setting, convenient adjustment and change.
- 4. Specification of cutting mesh: 1848 inches. Range can be adjusted before and after.
- 5. For the incision, the standard state is that the incision is perpendicular to the mesh, and other angles can be made as needed.






Detail display



1. In the front and rear direction, the large load-bearing slide rail + screw rod, and the worktable can move back and forth to facilitate the corner cutting of mesh with different widths.



2. Left and right direction, large load-bearing slide rail + screw rod, the worktable can be moved left and right, which is convenient for mesh corner cutting of different lengths




3. Large cold water pump ensures that multiple oil cylinders can work quickly without heating.



4. PLC programming + man-machine interface, simple and convenient operation.

Product display



Technical parameter

technical parameter						
Model		Hydraulic motor	Maximum mesh size	Minimum mesh size	Overall dimension	Weight
JWPQJ184 8	380V50HZ	7.5KW	10*10 inches	13.5*13.5inch es	2.5M*1.5M*1. 2M	1100KG

Pack and export to Vietnam



Our service:

The Company have been specializing in the production of welding forming equipment for more than 20 years, with strong technology, sophisticated experience, leading product quality in the industry, and have a good reputation in the industry. Each equipment is equipped with spare parts of excellent quality. Each equipment has undergone strict ex factory aging commissioning and long-term work trial. Besides, there are professional after-sales service technicians who can provide video guidance on installation and debugging at any time during working hours.

"All equipment shall be guaranteed for one year and maintained for life. You buy with peace of mind, using is very satisfactory!!

Our purpose:

every equipment should be the best!!

our products are constantly upgraded and improved. If the color or structure changes, the real object shall prevail.





13925780098



jhx16888@gmail.com



wire-bendingmachine.com

No. 78, Shangzhong Road, Shangdi Industrial Zone, Liaobu Town, Dongguan, Guangdong, China